Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number: 1219220
Sample Location: Munn's Well
Collected by: Jayden Boyd

Collected Date: 24-Jun-2026 12:00 AM
Received: 26-Jun-2026 10:31 AM
Reported: 03-Jul-2026 2:41 PM
Water Source: Well

Submitted By:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Invoice:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Analysis	Cattle Guidelines	Result	Unit	Sask Guideline	Test Comment	Fee
General Chemistry/Water Quality Panel						0.00
Conductivity	No Guideline	1618	µS/cm	< 2300		
pH	6.0 – 8.5	7.3	pH Units	7.0 - 10.5		
Total Alkalinity	< 1000	356	mg/L CaCO3	< 500		
Phenol Alkalinity	No Guideline	0.00	mg/L CaCO3	No Guideline		
Bicarbonate	No Guideline	434	mg/L	No Guideline		
Carbonate	No Guideline	0	mg/L	No Guideline		
Hydroxide	No Guideline	0	mg/L	No Guideline		
Chloride Dissolved	No Guideline	14.1	mg/L	< 250		
Fluoride Dissolved	< 2	0.15	mg/L	< 1.5		
Nitrate Dissolved	100	<0.2	mg/L	< 45		
Sulfate Dissolved	<500 – 3000	619.5	mg/L	< 500		
Total Hardness (Calculated)	No Guideline	896	mg/L CaCO3	< 800		
Total Dissolved Solids	< 3000 - 5000	1447	mg/L	< 1500		
Iron	< 10	6.6	mg/L	< 0.3		
Manganese	No Guideline	0.76	mg/L	< 0.05		
Calcium	< 1000	202	mg/L	No Guideline		
Magnesium	< 400	95	mg/L	< 200		
Potassium	No Guideline	12	mg/L	No Guideline		
Sodium	800 - 1000	70	mg/L	< 300		

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number:	1219220	**Collected Date:**	24-Jun-2026 12:00 AM
Sample Location:	Munn's Well	**Received:**	26-Jun-2026 10:31 AM
Collected by:	Jayden Boyd	**Reported:**	03-Jul-2026 2:41 PM
		Water Source:	Well

Submitter Phone Number: 306-694-8953

Emailed results to: aginfo@gov.sk.ca

NO PAPER COPY REQUESTED

Comments:

Is this water used for livestock? For information on livestock water quality guidelines contact the Agriculture Knowledge Centre (AKC) Phone: 1-866-457-2377 Email: aginfo@gov.sk.ca

145219

Please include Invoice Number with payment and remit to:

Saskatchewan Health Authority
c/o Accounts Receivable
2180 23rd Avenue
Regina, Saskatchewan
S4S 0A5

Total Fees (including GST)	0.00
Tax Summary	0.00
G.S.T. (reg # 89583 0180 RT001)	
Amount Received: (Payment Exempt)	0.00

Refund to be issued by the Department of Finance.

Balance **Payment Exempt**

Contact Us:

Result Interpretation: Please contact your Moose Jaw Public Health Officer at: 306-691-1500

Billing Inquiries: Phone: 1-833-989-5353, Email: SHAAR@saskhealthauthority.ca

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number: 1219219
Sample Location: Kearn's - Well
Collected by: Jayden Boyd

Collected Date: 24-Jun-2026 12:00 AM
Received: 26-Jun-2026 10:30 AM
Reported: 03-Jul-2026 2:41 PM
Water Source: Well

Submitted By:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Invoice:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Analysis	Cattle Guidelines	Result	Unit	Sask Guideline	Test Comment	Fee
General Chemistry/Water Quality Panel						0.00
Conductivity	No Guideline	2109	µS/cm	< 2300		
pH	6.0 – 8.5	7.4	pH Units	7.0 - 10.5		
Total Alkalinity	< 1000	433	mg/L CaCO3	< 500		
Phenol Alkalinity	No Guideline	0.00	mg/L CaCO3	No Guideline		
Bicarbonate	No Guideline	528	mg/L	No Guideline		
Carbonate	No Guideline	0	mg/L	No Guideline		
Hydroxide	No Guideline	0	mg/L	No Guideline		
Chloride Dissolved	No Guideline	8.7	mg/L	< 250		
Fluoride Dissolved	< 2	0.21	mg/L	< 1.5		
Nitrate Dissolved	100	<0.2	mg/L	< 45		
Sulfate Dissolved	< 500 – 3000	831.3	mg/L	< 500		
Total Hardness (Calculated)	No Guideline	785	mg/L CaCO3	< 800		
Total Dissolved Solids	< 3000 - 5000	1886	mg/L	< 1500		
Iron	< 10	3.7	mg/L	< 0.3		
Manganese	No Guideline	0.50	mg/L	< 0.05		
Calcium	< 1000	174	mg/L	No Guideline		
Magnesium	< 400	85	mg/L	< 200		
Potassium	No Guideline	10	mg/L	No Guideline		
Sodium	800 - 1000	249	mg/L	< 300		

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number:	1219219	**Collected Date:**	24-Jun-2026 12:00 AM
Sample Location:	Kearn's - Well	**Received:**	26-Jun-2026 10:30 AM
Collected by:	Jayden Boyd	**Reported:**	03-Jul-2026 2:41 PM
		Water Source:	Well

Submitter Phone Number: 306-694-8953

Emailed results to: aginfo@gov.sk.ca

NO PAPER COPY REQUESTED

Comments:

Is this water used for livestock? For information on livestock water quality guidelines contact the Agriculture Knowledge Centre (AKC) Phone: 1-866-457-2377 Email: aginfo@gov.sk.ca

145218

Please include Invoice Number with payment and remit to:

Saskatchewan Health Authority
c/o Accounts Receivable
2180 23rd Avenue
Regina, Saskatchewan
S4S 0A5

Total Fees (including GST)	0.00
Tax Summary	0.00
G.S.T. (reg # 89583 0180 RT001)	
Amount Received: (Payment Exempt)	0.00
Balance	**Payment Exempt**

Refund to be issued by the Department of Finance.

Contact Us:

Result Interpretation: Please contact your Moose Jaw Public Health Officer at: 306-691-1500
Billing Inquiries: Phone: 1-833-989-5353, Email: SHAAR@saskhealthauthority.ca

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number: 1219218
Sample Location: Neilson - Well
Collected by: Jayden Boyd

Collected Date: 24-Jun-2026 12:00 AM
Received: 26-Jun-2026 10:29 AM
Reported: 03-Jul-2026 2:41 PM
Water Source: Well

Submitted By:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Invoice:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Analysis	Cattle Guidelines	Result	Unit	Sask Guideline	Test Comment	Fee
General Chemistry/Water Quality Panel						0.00
Conductivity	No Guideline	1698	µS/cm	< 2300		
pH	6.0 – 8.5	7.6	pH Units	7.0 - 10.5		
Total Alkalinity	< 1000	413	mg/L CaCO3	< 500		
Phenol Alkalinity	No Guideline	0.00	mg/L CaCO3	No Guideline		
Bicarbonate	No Guideline	504	mg/L	No Guideline		
Carbonate	No Guideline	0	mg/L	No Guideline		
Hydroxide	No Guideline	0	mg/L	No Guideline		
Chloride Dissolved	No Guideline	15.8	mg/L	< 250		
Fluoride Dissolved	< 2	0.13	mg/L	< 1.5		
Nitrate Dissolved	100	<0.2	mg/L	< 45		
Sulfate Dissolved	< 500 – 3000	568.8	mg/L	< 500		
Total Hardness (Calculated)	No Guideline	653	mg/L CaCO3	< 800		
Total Dissolved Solids	< 3000 - 5000	1495	mg/L	< 1500		
Iron	< 10	2.0	mg/L	< 0.3		
Manganese	No Guideline	0.54	mg/L	< 0.05		
Calcium	< 1000	161	mg/L	No Guideline		
Magnesium	< 400	61	mg/L	< 200		
Potassium	No Guideline	6	mg/L	No Guideline		
Sodium	800 - 1000	178	mg/L	< 300		

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number:	1219218	**Collected Date:**	24-Jun-2026 12:00 AM
Sample Location:	Neilson - Well	**Received:**	26-Jun-2026 10:29 AM
Collected by:	Jayden Boyd	**Reported:**	03-Jul-2026 2:41 PM
		Water Source:	Well

Submitter Phone Number: 306-694-8953

Emailed results to: aginfo@gov.sk.ca

NO PAPER COPY REQUESTED

Comments:

Is this water used for livestock? For information on livestock water quality guidelines contact the Agriculture Knowledge Centre (AKC) Phone: 1-866-457-2377 Email: aginfo@gov.sk.ca

145217

Please include Invoice Number with payment and remit to:

Saskatchewan Health Authority
c/o Accounts Receivable
2180 23rd Avenue
Regina, Saskatchewan
S4S 0A5

Total Fees (including GST)	0.00
Tax Summary	0.00
G.S.T. (reg # 89583 0180 RT001)	
Amount Received: (Payment Exempt)	0.00

Refund to be issued by the Department of Finance.

Balance	**Payment Exempt**

Contact Us:

Result Interpretation: Please contact your Moose Jaw Public Health Officer at: 306-691-1500
Billing Inquiries: Phone: 1-833-989-5353, Email: SHAAR@saskhealthauthority.ca

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number: 1219217
Sample Location: L.A. Grant - Well
Collected by: Jayden Boyd

Collected Date: 24-Jun-2026 12:00 AM
Received: 26-Jun-2026 10:29 AM
Reported: 03-Jul-2026 2:40 PM
Water Source: Well

Submitted By:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Invoice:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Analysis	Cattle Guidelines	Result	Unit	Sask Guideline	Test Comment	Fee
General Chemistry/Water Quality Panel						0.00
Conductivity	No Guideline	916	µS/cm	< 2300		
pH	6.0 – 8.5	7.5	pH Units	7.0 - 10.5		
Total Alkalinity	< 1000	308	mg/L CaCO3	< 500		
Phenol Alkalinity	No Guideline	0.00	mg/L CaCO3	No Guideline		
Bicarbonate	No Guideline	376	mg/L	No Guideline		
Carbonate	No Guideline	0	mg/L	No Guideline		
Hydroxide	No Guideline	0	mg/L	No Guideline		
Chloride Dissolved	No Guideline	19.7	mg/L	< 250		
Fluoride Dissolved	< 2	0.20	mg/L	< 1.5		
Nitrate Dissolved	100	15.3	mg/L	< 45		
Sulfate Dissolved	< 500 – 3000	171.2	mg/L	< 500	*1*	
Total Hardness (Calculated)	No Guideline	465	mg/L CaCO3	< 800		
Total Dissolved Solids	< 3000 - 5000	773	mg/L	< 1500		
Iron	< 10	<0.1	mg/L	< 0.3		
Manganese	No Guideline	0.11	mg/L	< 0.05		
Calcium	< 1000	102	mg/L	No Guideline		
Magnesium	< 400	51	mg/L	< 200		
Potassium	No Guideline	6	mg/L	No Guideline		
Sodium	800 - 1000	32	mg/L	< 300		

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number:	1219217	**Collected Date:**	24-Jun-2026 12:00 AM
Sample Location:	L.A. Grant - Well	**Received:**	26-Jun-2026 10:29 AM
Collected by:	Jayden Boyd	**Reported:**	03-Jul-2026 2:40 PM
		Water Source:	Well

Submitter Phone Number: 306-694-8953

Emailed results to: aginfo@gov.sk.ca

NO PAPER COPY REQUESTED

Comments:

1. For any questions regarding the results from your water testing please contact the Agriculture Knowledge Centre (AKC) Phone: 1-866-457-2377 Email: aginfo@gov.sk.ca
Is this water used for livestock? For information on livestock water quality guidelines contact the Agriculture Knowledge Centre (AKC) Phone: 1-866-457-2377 Email: aginfo@gov.sk.ca

145216

Please include Invoice Number with payment and remit to:

Saskatchewan Health Authority
c/o Accounts Receivable
2180 23rd Avenue
Regina, Saskatchewan
S4S 0A5

Total Fees (including GST)	0.00
Tax Summary	0.00
G.S.T. (reg # 89583 0180 RT001)	
Amount Received: (Payment Exempt)	0.00

Refund to be issued by the Department of Finance.

Balance **Payment Exempt**

Contact Us:

Result Interpretation: Please contact your Moose Jaw Public Health Officer at: 306-691-1500
Billing Inquiries: Phone: 1-833-989-5353, Email: SHAAR@saskhealthauthority.ca

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number: 1219216
Sample Location: Aylesbury - Well
Collected by: Jayden Boyd

Collected Date: 24-Jun-2026 12:00 AM
Received: 26-Jun-2026 9:51 AM
Reported: 03-Jul-2026 2:40 PM
Water Source: Well

Submitted By:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Invoice:
MINISTRY OF AGRICULTURE
45 THATCHER DR
MOOSE JAW, SK
S6J 1L8

Analysis	Cattle Guidelines	Result	Unit	Sask Guideline	Test Comment	Fee
General Chemistry/Water Quality Panel						0.00
Conductivity	No Guideline	1674	µS/cm	< 2300		
pH	6.0 – 8.5	7.5	pH Units	7.0 - 10.5		
Total Alkalinity	< 1000	335	mg/L CaCO3	< 500		
Phenol Alkalinity	No Guideline	0.00	mg/L CaCO3	No Guideline		
Bicarbonate	No Guideline	409	mg/L	No Guideline		
Carbonate	No Guideline	0	mg/L	No Guideline		
Hydroxide	No Guideline	0	mg/L	No Guideline		
Chloride Dissolved	No Guideline	15.4	mg/L	< 250		
Fluoride Dissolved	< 2	0.32	mg/L	< 1.5		
Nitrate Dissolved	100	16.2	mg/L	< 45		
Sulfate Dissolved	< 500 – 3000	666.0	mg/L	< 500		
Total Hardness (Calculated)	No Guideline	960	mg/L CaCO3	< 800		
Total Dissolved Solids	< 3000 - 5000	1488	mg/L	< 1500		
Iron	< 10	<0.1	mg/L	< 0.3		
Manganese	No Guideline	0.05	mg/L	< 0.05		
Calcium	< 1000	198	mg/L	No Guideline		
Magnesium	< 400	113	mg/L	< 200		
Potassium	No Guideline	10	mg/L	No Guideline		
Sodium	800 - 1000	60	mg/L	< 300		

Saskatchewan Health Authority

Roy Romanow Provincial Laboratory
Environmental Services

5 Research Drive
Regina, Saskatchewan
S4S 0A4

(306) 787-7138 / (306) 787-3140

Environmental Services Analysis Report - Final

Invoice Number:	1219216	**Collected Date:**	24-Jun-2026 12:00 AM
Sample Location:	Aylesbury - Well	**Received:**	26-Jun-2026 9:51 AM
Collected by:	Jayden Boyd	**Reported:**	03-Jul-2026 2:40 PM
		Water Source:	Well

Submitter Phone Number: 306-694-8953

Emailed results to: aginfo@gov.sk.ca

NO PAPER COPY REQUESTED

Comments:

Is this water used for livestock? For information on livestock water quality guidelines contact the Agriculture Knowledge Centre (AKC) Phone: 1-866-457-2377 Email: aginfo@gov.sk.ca

145215

Please include Invoice Number with payment and remit to:

Saskatchewan Health Authority
c/o Accounts Receivable
2180 23rd Avenue
Regina, Saskatchewan
S4S 0A5

Total Fees (including GST)	0.00
Tax Summary	0.00
G.S.T. (reg # 89583 0180 RT001)	
Amount Received: (Payment Exempt)	0.00

Refund to be issued by the Department of Finance.

Balance	**Payment Exempt**

Contact Us:

Result Interpretation: Please contact your Moose Jaw Public Health Officer at: 306-691-1500
Billing Inquiries: Phone: 1-833-989-5353, Email: SHAAR@saskhealthauthority.ca